LED Technologies
Creative LED & Effect Technology for the Trade Professional

MiBOXER® | Mi·Light
Subordinate New Brand

# Rotating Wheel Remote (2.4GHz)

Model No.: K3 / K3S

## Contents


Product Features ..... 2

Product parameters ..... 2

Button Description ..... 3

Install battery ..... 3

Instructions for pairing/clearing codes with lamps ..... 4

Installation Notes ..... 5

Attention ..... 6


# 1. Product Features

Rotating Wheel Remote, which uses the 2.4GHz frequency band, has low power consumption, long transmission distance, strong anti-interference ability, and fast communication speed. Simply turn the dial on the remote control to enjoy comfortable lighting effects. Compact, easy to use, magnetically mounted and securely attached. Can control designated Mi-Light / MiBoxer 2.4G lamps and adjust the color temperature and brightness of the light.


# 2. Product parameters

Model No.: K3 / K3S
Working Voltage: 3V (CR2032 battery)
Transmitting Power: 6dBm
Standby Power Consumption: <6μA
RF: 2.4GHz
Working Temperature: -10~40°C
Control Distance: 30m


## K3




## K3S




## 3. Button Description



ON / OFF

**Brightness / Color Temperature rotating wheel**


(Brightness is adjusted by default
Long press the " ⏻ " key for 3 seconds
Turn the rotating wheel to adjust color temperature)





Link / Unlink

CR2032 battery
(Purchased separately)

## 4. Install battery



1. Open battery cover





2. Install the battery as photo
（CR2032 Purchased separately）


# 5. Linking/Unlinking


LED Technologies
Creative LED & Effect Technology for the Trade Professional

Note: Remote need link with lights before control light.

## Linking instruction













1. Turn off light after 10 seconds turn off
2. Short press "SET" 3 times within 3 second when the light on
3. Light flashing 3 times slowly means it is successfully

Linking failed if light is not blinking slowly, Please follow above steps again.
(Note: Light that have linked can't link again)

## Unlinking instruction




1. Turn off light after 10 seconds turn on
2. Short press "SET" 5 times within 3 second when the light on
3. Light flashing 10 times slowly means it is successfully


Unlinking failed if light is not blinking quickly, Please follow above steps again.
(Note: Light haven't linked that don't need to unlink)


# 6. Installation Notes


LED Technologies
Creative LED & Effect Technology for the Trade Professional


## K3

Method 1










Method 2





Take off the double-sided tape on the back of the base




Stick the base well, and the remote control is magnetically attracted to the base




Take off the double-sided tape on the back of the base




Stick the base well, and the remote control is magnetically attracted to the base

## 7. Attention

1. This remote only control specified Mi-Light / Miboxer products; details please check manual.
2. This remote control is a precision electronic product, please do not use it in a humid or high temperature environment for a long time. When not in use for a long time, please take out the battery and store it in a dry, static-free environment.
3. Do not use the remote control in a large area of metal or in an environment with strong electromagnetic waves nearby, otherwise the control distance will be seriously affected.