



LEDTech LED Driver 24V 60W IP67

Features & Benefits

- ✓ Ideal for powering 24V LED Lighting products
- ✓ Suitable for outdoor use
- ✓ 155 x 68.5 x 40mm
- ✓ Highly efficient

Quick Specs

24V	60W	IP67
Voltage	Wattage	IP Rating

Full Specification

Product Code:	100.628
Rated Voltage	24VDC
Output Current Range	0~2.5A
Rated Power (Max)	60W
Ripple and Noise (Max)	200mVp-p
Voltage Tolerance	±2.0%
Line Regulation	±1%
Load Regulation	±1.0%
Set-up, Rise Time	1500ms 80ms/230VAC, 2000ms 80ms/110VAC
Hold-up Time	50ms/230VAC at full load, 25ms/110VAC at full load
Voltage Range	90~130VAC / 170~264VAC / 90~264VAC
Frequency Range	47~63Hz
Efficiency	89.0%
AC Current	0.75A ~ 0.25A
Inrush Current	Cold Start at 45A/230VAC, Input at Ta: 25°C cold start.
Leakage Current	<0.5mA at 230VAC, 60Hz Input
Over-Voltage	110% ~ 130%
Over-load	130% ~ 150%
Short Circuit	Hiccup mode, recovers automatically after faulty problem is removed
Lightning Protection	Gas discharge tube automatically open to discharge, re-power on to recover
Over-temperature	85°C±10°C (Shut down O/P voltage, re-power on to recover)
Working Environment	-25°C ~ +50°C
Working Humidity	20~90% RH non-condensing


LED Technologies

Creative LED & Effect Technology for the Trade Professional

Storage Environment & Humidity	-40°C~+70°C
TEMP. Coefficient	±0.05%°C (0~50°C)
Vibration	10 ~ 500Hz, 2G 10min./1cycle, period for 60min. Each along X, Y, Z axes
Safety Standards	EN-61347-1, EN61347-2-13, IP67, ROHS Tests, Design refer to UL8750
Withstand Voltage	I/P-O/P: 3KVAC, IP-FG:1.5KVAC, OP-FG: 500VAC
Isolation Resistance	I/P-O/P IP-FG OP-FG: 100M Ohms/500VDC / 25°C / 70% RH
EMC Emission	Compliance to EN55015, EN61547, EN61000-3-2, EN61000-3-3,
EMC Immunity	Compliance to EN55015 EN61547 EN61000-4-2,3,4,5,6,8,11
Life Span	≥50000Hrs (25°C)
No Load power consumption	≤1.5W
MTBF	250K hrs min, MIL-HDBK-217F (25°C)
Dimension	155*68.5*40mm (L*W*H)
Weight	0.65Kg

Schematic Drawing

Units: mm



Technical Support

If you require any technical support or have an enquiry, please do not hesitate to contact one of our LED technical experts on the contact information provided.

Telephone: 01260 540014

Opening times: Mon-Thur: 9:00am - 5:30pm / Fri: 8:30am - 5:00pm

www.ledtechnologies.co.uk

The above data are typical values and may vary +/- 10%.

Colour temperatures may vary up to +/- 10%

We reserve the right to change specifications without notice - E&OE.

Maximum Daisy chain - 10mtrs

