



LEDTech 12V LED Driver 30W 2.50 Amp IP67

Features & Benefits

- ✓ Recommended load 22- 24w
- ✓ Suitable for outdoor use
- ✓ 220 x 30 x 20mm
- ✓ Highly efficient

Quick Specs

12V	30W	IP67
Voltage	Wattage	IP Rating

Full Specification

Product code	100.531
Rated Voltage	12VDC
Output Current Range	0~2.5A
Rated Power (Max)	30W
Ripple and Noise (Max)	120mVp-p
Voltage Tolerance	±3.0%
Line Regulation	±1%
Load Regulation	±1.0%
Set-up, Rise Time	1500ms 80ms/230VAC, 2000ms 80ms/110VAC
Hold-up Time	50ms/230VAC at full load, 25ms/110VAC at full load
Voltage Range	90~130VAC / 170~264VAC / 90~264VAC
Frequency Range	47~63Hz
Efficiency	85.0%
AC Current	0.37A ~ 0.13A
Inrush Current	Cold Start at 40A/230VAC, Input at Ta: 25°C cold start.
Leakage Current	<0.5mA at 230VAC, 60Hz Input
Over-Voltage	110% ~ 130% (Shut down O/P voltage, repower on to recover)
Over-load	130% ~ 150% (Shut down O/P voltage, repower on to recover)
Short Circuit	Hiccup mode, recovers automatically after faulty problem is removed
Over-temperature	85°C±10°C (Shut down O/P voltage, re-power on to recover)
Working Environment	-25°C ~ +50°C
Working Humidity	20~90% RH non-condensing
Storage Environment & Humidity	-30°C ~ +70°C


LED Technologies

Creative LED & Effect Technology for the Trade Professional

TEMP. Coefficient	±0.05%°C (0~50°C)
Vibration	10 ~ 500Hz, 2G 10min./1cycle, period for 60min. each along X, Y, Z axes
Safety Standards	EN-61347-1, EN61347-2-13, IP67, ROHS Tests, Design refer to UL8750
Withstand Voltage	I/P-O/P: 3KVAC, IP-FG:1.5KVAC, OP-FG: 500VAC
Isolation Resistance	I/P-O/P IP-FG OP-FG: 100M Ohms/500VDC / 25°C / 70% RH
EMC Emission	Compliance to EN55015: 2007, EN61547:1995+A1:2000; EN61000-3-2: 2006; EN61000-3-3: 2008
Life Span	≥50000Hrs (25~30°C)
No Load power consumption	≤1.0W
MTBF	250K hrs min, MIL-HDBK-217F (25°C)
Dimension	220*30*20 mm (L*W*H)
Packing	50pcs/carton
Weight	0.25Kg/pcs / 50pcs/CTN

Schematic Drawing

Units: mm



Technical Support

If you require any technical support or have an enquiry, please do not hesitate to contact one of our LED technical experts on the contact information provided.

Telephone: 01260 540014

www.ledtechnologies.co.uk

The above data are typical values and may vary +/- 10%.

We reserve the right to change specifications without notice - E&OE.

